Best Available Copy




Fig. 1

10





Figure 2






Figure 5




Figure 6

10




Figure 7




Figure 8





Figure 9






Figure 11




Figure 12

				/	8	,	56,57
Display	Hub member	Hub member display			Disciay indicate		/ indicator /
mode	selection status	Visible	shade	transparency	layer	border '	body /
Stacked .	Target member (selected by default)	yes	normal	no	rob	Light grey	Dark grev
	Target member (selected by default) 19 permanently displayed	yes	normal	no	top	Light grey	Light grey
	Associated member 21	yes	normal	no	middle	black	Dark grev
	Associated member selected (permanently displayed)	yes	normal	yes	middle	black	Light grey
	Other member 29 not selected	yes	normal	na	bottom	поле	Dark grev
	Other member 24 selected 29 (permanently displayed)	yes	normal	yes	middle	none	Light grey
Overtaid	Target member (selected by default) 19	yes	normal	no	top	Light grev	Dank grev
	Target member (selected by default) 14	yes	normai	no	top	Light grey	Light grey
	Associated member 21	yes	Light	yes	bottom	biack	Dark grev
	Associated member Selected 24 (permanently displayed)	yes	normal	yes	middle	black	Light grey
	Other member 29	yes	Light	yes	bottom	none	Dark grey
	Other member 24 (permanently displayed)	yes	normal	yes	middle	none	Light grey
Isolated	Target member (gelected by default)	yes	normal	no	top	Light grey	Dark grev
	Target member (Selected by default) (4	yes	normal	no	top	Light grey	Light grey
	Associated member	по	•	-	· ·	black	Dark grey
	Associated member selected (permanently displayed)	yes	normal	yes	middle	black	Light grey
	Other member 24	no	-	•		none	Dark grey
	Comments of A	yes	normal	yes	middle	none	Light grey

Fig. 13

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
·

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.